

# DEEZ

## PORCELAIN TILE

—> MATT FINISH

PEARL - GREY - ANTHRACITE - MINK



FORMATO / SIZE 120X120 CM RC - 60X120 CM RC - 60X60 CM RC - 30X60 CM

GRUPO / GROUP Bla

TIPO / TYPE PORCELANICO / PORCELAIN TILE

DESCRIPCION DEL TEST / TEST DESCRIPTION	VALOR DEL TEST / TEST VALUE	NORMA / STANDARD VALUE	
ABSORCIÓN DE AGUA / WATER ABSORPTION	$E \leq 0,5\%$	UNE-EN-ISO 10545-3	CUMPLE / PASSED
FUERZA DE ROTURA / BREAKING STRENGTH	$\geq 1300$ N	UNE-EN-ISO 10545-4	CUMPLE / PASSED
RESISTENCIA A LA FLEXIÓN RESISTANCE OF FLEXION	$\geq 35$ N/MM <sup>2</sup>	UNE-EN-ISO 10545-4	CUMPLE / PASSED
RESISTENCIA AL CUARTEO / CRACKING RESISTANCE	REQUERIDO / REQUESTED	UNE-EN-ISO 10545-11	CUMPLE / PASSED
RESISTENCIA A LA HELADA / FROST RESISTANCE	REQUERIDO / REQUESTED	UNE-EN-ISO 10545-12	CUMPLE / PASSED
RESISTENCIA QUIMICA CHEMICAL RESISTANCE	(PRODUCTOS DOMESTICOS Y DE PISCINA / DOMESTIC & SWIMMING POOL PRODUCTS) MÍNIMO / MINIMUM GB	UNE-EN-ISO 10545-13	CUMPLE / PASSED
RESISTENCIA BAJA ACIDOS / LOW ACID RESISTANCE	LB	UNE-EN-ISO 10545-13	CUMPLE / PASSED
RESISTENCIA BAJA BASES / LOW ALKALINE RESISTANCE	LB	UNE-EN-ISO 10545-13	CUMPLE / PASSED
RESISTENCIA A LAS MANCHAS RESISTANCE TO STAINS	MINIMO / MINIMUM CLASS 3	UNE-EN-ISO 10545-14	CUMPLE / PASSED
RESISTENCIA AL DESLIZAMIENTO SLIP RESISTANCE	UNE-41901 EX PÉNDULO / PENDULUM		CLASE 1 / CLASS 1
	DIN 51130:2014-5 ÁNGULO CRÍTICO DESLIZAMIENTO (RAMPA) / CRITICAL ANGLE OF SLIP (INCLINED PLATFORM)		R9
RESISTENCIA AL RAYADO / HARDNESS (MOHS)	MINIMO / MINIMUM CLASS 3	EN 101	CUMPLE / PASSED